


STRAUB CHECK LIST SHORT

Date: _____	Issued by: _____
Customer: _____	
	
Pipe dimensions 1: OD 1 _____ mm ID 1 _____ mm or WT 1 _____ mm or tube serial no _____ Material 1: <input type="checkbox"/> carbon steel <input type="checkbox"/> stainless steel <input type="checkbox"/> GRP <input type="checkbox"/> PE / PP <input type="checkbox"/> PVC <input type="checkbox"/> _____	Pipe dimensions 2: OD 2 _____ mm ID 2 _____ mm or WT 2 _____ mm or tube serial no _____ Material 2: <input type="checkbox"/> carbon steel <input type="checkbox"/> stainless steel <input type="checkbox"/> GRP <input type="checkbox"/> PE / PP <input type="checkbox"/> PVC <input type="checkbox"/> _____
Coupling: <input type="checkbox"/> pull out resistant (GRIP) <input type="checkbox"/> axially flexible (FLEX) <input type="checkbox"/> repair type (OPEN-FLEX) Medium: <input type="checkbox"/> air <input type="checkbox"/> water <input type="checkbox"/> gas <input type="checkbox"/> fuel <input type="checkbox"/> chemical products Specification: _____ Chem.formula: _____ Concentration: _____	Casing: <input type="checkbox"/> ss <input type="checkbox"/> galv. Lock parts: <input type="checkbox"/> ss <input type="checkbox"/> galv. Pressure: working pressure _____ bar test pressure _____ bar (system pressure) _____ bar vacuum _____ mbar Temperature: max. _____ °C min. _____ °C Gap between pipe ends: R max. _____ mm
Quantities required: _____	
Remarks: _____ _____ _____ _____	
STRAUB solution: _____ (to be completed by our application engineers) _____ _____	
Issued by: _____	Date: _____